			4 / / A
Notice of Allowability	Application No.	Applicant(s)	100
	09/832,396	CAHILL, JAMES	•
	Examiner	Art Unit	
	James R. Brittain	3677	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to applicant's communication of October 29, 2004.			
2. X The allowed claim(s) is/are 3-5,8,9,6,7,16,21,22,11-13 & 27-30; renumbered 1-17, respectively.			
3. 🔀 The drawings filed on <u>01 October 2001</u> are accepted by the Examiner.			
4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☐ Examiner's Amendr 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), te ment/Comment	. (

Application/Control Number: 09/832,396

Art Unit: 3677

٠.

The following is an examiner's statement of reasons for allowance: In regard to claim 1, Troska (US 5728415) teaches a device for locating an item packaged in a container comprising an elongated flexible tether 60 extractably loaded upon a dispenser 50 and Newman (US 4120401) teaches a device including an elongated flexible tether 32 extractably loaded upon a dispenser. The difference is that neither Troska or Newman teaches the dispenser comprising a stratified body having a bottom adhesive layer and a top layer and there is no suggestion to modify the devices of Troska or Newman to have such structure in the art of record. As to claim 11. Nelson et al. (US 5989093) teach a tethering device comprising a tether 42 extractably stored in a dispenser 12 wherein a pad 14 having an attachment eyelet in the form of slot 20 for securement of the tether and adhesive is attached to the tab, and Mango (US 3746285) teaches an extractable tethering device comprising a tether 18 extractably stored in a dispenser 17 wherein a threaded cap 23 comprising a fastener has an attachment eye for attachment to the tether. The difference is that neither Nelson et al. nor Mango teaches the tether and fastener formed integrally from a layer of elastomeric material and there is no suggestion to modify the devices of Nelson et al. or Mango to have such structure in the art of record. In regard to claim 27, Tinkey (US 3217955) teaches a tethering device comprising a dispenser 10 and a tether in the form of tape 24 that is inherently subdividable to form subtethers. The difference is that Tinkey does not teach the dispenser comprising a stratified body having top layer and a bottom layer and there is no suggestion to modify the device of Tinkey to have such structure in the art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue

Art Unit: 3677

fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to James R. Brittain whose telephone number is (703) 308-2222. The examiner can normally be reached on M-F 5:30-2:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, J. J. Swann can be reached on (703) 306-4115. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James R. Brittain Primary Examiner Art Unit 3677

JRB